Docket No. CERTIFICATE OF MAILING BY FIRST CLASS MAIL (37 CFR 1.8) Applicant(s): Yasushi KOHNO et al. **TKA0028 Group Art Unit** Serial No. Filing Date Examiner 09/837,020 April 18, 2001 Andrea Valenti 3643 METHOD OF PREVENTING DEFECTIVE GERMINATION OR GROWTH OF PLANT Inventie TIN 1 5 5003 JUN 1-8 2003 GROUP 360D I hereby certify that this APPEAL BRIEF, BRIEF TRANSMITTAL AND FEE TRANSMITTAL (Identify type of correspondence) is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on June 9, 2003 (Date) Michael S. Gzybowski (Typed or Printed Name of Person Mailing Correspondence) (Signature of Person Mailing Correspondence) Note: Each paper must have its own certificate of mailing.

PTO/SB/17 (1-03)
Approved for use through 04/30/2003. OMB 0651-0032
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Grider the Paperwork Reduction Act of 1995, no persons are required	uneo to	respond	wau	JIIECUOI	i oi iiiioiiiia	adon unless it disp	liays a vallu C	SWID CONTROL HUMBEL.	
FEE TRANSMITTA		C n				mplete if Known			
	_	Appli	ication	Numi	ber 0	9/837,020			
for FY 2003		Filing	Date		A	pril 18, 2001		RECEN	
Effective 01/01/2003. Patent fees are subject to annual revision	on.	First Named Inventor		ntor Y	asushi KOHNO	et al.	・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・		
Applicant claims small entity status. See 37 CFR 1.2	27	Exan	niner 1	Name	A	ndrea Valenti		JUN 1 0 0	
		Group Art Unit			3	643		1 0 2	
TOTAL AMOUNT OF PAYMENT (\$) \$320	0.00	Attorney Docket No.			No. T	'KA0028	<u> </u>	ROLLDA	
METHOD OF PAYMENT (check all that apply)	FEE CALCULATION (continued)								
Check Credit card Money Other None	3. ADDITIONAL FEES								
Deposit Account:	Large Fee	Entity Fee	Small Fee	Fee Fee	_	Fee Description	30	Fee Paid	
Deposit Account 12-2136	Code 105	,	2051	(\$) 65		- late filing fee or		ree raid	
Number	105		2051		_	- late provisional		cover	
Deposit Account BUTZEL LONG					sheet	•			
Name BUIZEL LUNG		3 130	1053		_	lish specification			
The Commissioner is authorized to: (check all that apply)		2 2,520			•	request for ex pa			
Charge fee(s) indicated below Credit any overpayments	1804	4 920*	1804	920*	Requestin action	g publication of S	IR prior to Ex	aminer	
Charge any additional fee(s) during the pendency of this application	180	5 1,840*	1805	1,840*		g publication of S	IR after Exam	niner	
Charge fee(s) indicated below, except for the filing fee	125	1 110	2251	55	action Extension	for reply within fire	st month		
to the above-identified deposit account.	125	1	2252	205		for reply within se			
FEE CALCULATION	125		2253	465		for reply within thi			
BASIC FILING FEE Large Entity Small Entity	1254	4 1,450	2254	725	Extension	for reply within for	urth month		
Fee Fee Fee Fee Description	125	5 1,970	2255	985	Extension	for reply within fift	th month		
Code (\$) Code (\$) Fee Paid 1001 750 2001 375 Utility filing fee	140	1 320	2401	160	Notice of A	Appeal			
1001 750 2001 375 Utility filing fee	140	2 320	2402	160	Filing a bri	ief in support of ar	n appeal	320.00	
1003 520 2003 260 Plant filing fee	140	3 280	2403	140	Request fo	or oral hearing			
1004 750 2004 375 Reissue filing	145	1 1,510	1451	1,510	Petition to	institute a public	use proceedi	ing	
1005 160 2005 80 Provisional filing fee	145	2 110	2452	55	Petition to	on to revive - unavoidable			
SUBTOTAL (1) (\$)	1453	3 1,300	2453	650	Petition to	on to revive - unintentional			
2. EXTRA CLAIM FEES FOR UTILITY AND	150°	1 1,300	2501	650	Utility issu	issue fee (or reissue)			
Fee from	1502	2 470	2502	235	Design iss	sue fee			
Extra Claims below Fee Paid Total Claims -20** = 0 X = 0.00	1503	3 630	2503	315	Plant issue	ant issue fee			
Independent - 3** = 0 X = 0.00	1460	0 130	1460	130		tions to the Commissioner			
Claims Sissi Multiple Dependent = Sissi	180		1807			g fee under 37 CF	• '''		
Large Entity Small Entity	1806	6 180	1806	180	Submission Statement	on of Information E	Disclosure		
Fee Fee Fee Fee Description Code (\$)	802 ⁻	1 40	8021	40	Recording	ı each patent assi nber of properties		property	
1202 18 2202 9 Claims in excess of 20	1809	9 750	2809	375	Filing a su	FR § 1.129(a))			
1201 84 2201 42 Independent claims in excess of 3 1203 280 2203 140 Multiple dependent claim, if not paid	1810	750	2810	375	For each a	ach additional invention to be examined FR § 1.129(b))			
1204 84 2204 42 ** Reissue independent claims	180	1 750	2801	375	•	or Continued Exar	mination (RCI	E)	
over original patent	180	2 900	1802	900		or expedited exam	nination		
1205 18 2205 9 ** Reissue claims in excess of 20 and over original patent		har foo (enacif (ot a desigi	n application			
	0	her fee (s	specity,	· ——					
SUBTOTAL (2) (\$) \$0.00						0.45767	-AL (0)		
**or number previously paid, if greater; For Reissues, see above	*Re	educed b	y Basic	Filing	Fee Paid	SUBTO	IAL (3)	(\$) \$320.00	
SUBMITTED BY						Complete (i	f applicable)		
Name (Print/Type) Michael S. Gzybowski		Registration No. (Attorney/Agent) 32,816 Telephone 73.				34-995-3110			
Signature Midcul Sprone						Date	Ju	ne 9, 2003	

WARNING: Information in this form may become public. Credit card information should in the included on this form. Provide credit card information and authorization in this collection of information is required by 37 CFR 1.17 and 1.27. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Washington, DC 20231.

PE JCO			
JUN 1 2 2003 TRANS	Docket No. TKA0028		
In Re-Application Of: Y	asushi KOHNO et al.		#17
Serial No. 09/837,020	Filing Date April 18, 2001	Examiner Andrea Valenti	Group Art Unit 3643
Invention: METHOD	OF PREVENTING DEFECTIVE	GERMINATION OR GROWTH OF	PLANT
r ·			
	TO THE COMMISS	SIONER FOR PATENTS:	
Transmitted herewith in April 7, 2003	triplicate is the Appeal Brief in th	is application, with respect to the Not	ice of Appeal filed on
The fee for filing this App	oeal Brief is: \$320.00		*
☐ A check in the an	nount of the fee is enclosed.		
☐ The Director has	already been authorized to charge	ge fees in this application to a Depos	it Account.
The Director is he overpayment to D	ereby authorized to charge any for eposit Account No. 12-2136	ees which may be required, or credit	any
00.	.01		
Midal	Sections:	Dated: June 9, 2003	_
	Ignulary		
		on June 9, 2003 first class mail under 37 C	ment and fee is being deposited with the U.S. Postal Service as C.F.R. 1.8 and is addressed to the s, P.O. Box 1450, Alexandria, VA

CC:

Signature of Person Marting Correspondence

Michael S. Gzybowski

Typed or Printed Name of Person Mailing Correspondence







#17

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Group

Art Unit:

3643

Attorney

Docket No.:

TKA0028

Applicant:

Yasushi KOHNO et al.

Invention:

METHOD OF PREVENTING DEFECTIVE

GERMINATION OR GROWTH OF PLANT

Serial No:

09/837,020

Filed:

April 18, 2001

Examiner:

Andrea Valenti

Certificate Under 37 CFR 1.8(a)

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-

on June 9, 2003

Michael S. Gzybowski

BRIEF ON APPEAL

RECEIVED
JUN 1 8 2003
GROUP 3600

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

Further to Appellants' Notice of Appeal filed April 7, 2003 in connection with the aboveidentified application, appellants submit the present Brief on Appeal.

REAL PARTY IN INTEREST

Appellant has assigned this application to Agritecno Yazaki Co., Ltd. in an assignment which was executed by the inventors on April 6, 2001, and filed in the United States Patent and Trademark Office on April 18, 2001, and recorded on April 18, 2001 at Reel No. 011723 and Frame No. 0926.

06/13/2003 CNGUYEN 00000024 122136 09837020

01 FC:1402

320.00 CH

-1-

RELATED APPEALS AND INTERFERENCES

There are no related cases involved in any appeal procedures or Interferences.

STATUS OF CLAIMS

Claims 1-13 are pending in this application. Claims 1-13 stand under Final Rejection, from which rejection of claims 1-13 this appeal is taken. No other claims are pending.

STATUS OF AMENDMENTS

No Amendments After Final Rejection were filed in the application.

SUMMARY OF INVENTION

The present invention is directed to a method of preventing defective germination of plant seeds or growth of plants.

As set forth in the paragraph bridging pages 2 and 3 of appellants' specification, the method comprises the steps of: encapsulating one or more plant seeds in an aqueous gel capsule; refrigerating the encapsulated plant seed(s) under conditions in which the encapsulated seed(s) will not germinate; and sowing the plant seed(s).

Other embodiments of appellants' invention, as listed on page 3, lines 6-10 include: the size of the seeds is equal to or less than 1 mm; the refrigeration process is carried out in a dark place; the plant seeds are those of a light germinator; and the seed encapsulated in the aqueous gel capsule is a pelletized seed.

As discussed in the paragraph bridging pages 4 and 5 of appellants' specification, if the seeds are allowed to germinate during the refrigeration process, the germ or root that comes out of the gel capsule is likely to be damaged during subsequent handling and sowing.

Comparative test results which are provided in appellants' examples on pages 6-8 demonstrate the improvements in germination, bolting, efflorescence, rosette-formation, and cut flower length.

<u>ISSUE</u>

Whether claims 1-6 and 13 are unpatentable over Kohno et al. in view of Skarpaas under 35 U.S.C. §103(a).

Whether claims 7-12 are unpatentable over Kohno et al. "as applied to claim 1" and further in view of Asano 35 U.S.C. §103(a).

GROUPING OF CLAIMS

Claims 1-6 and 13 stand rejected under 35 U.S.C. §103(a) as being unpatentable over Kohno et al. in view of Skarpaas and therefore stand or fall together under this rejection.

Claims 7-12 stand rejected under 35 U.S.C. §103(a) as being unpatentable over Kohno et al.

"as applied to claim 1" and further in view of Asano and therefore stand or fall together separately from claims 1-6 and 13 under this rejection.

THE REFERENCES

The following references are relied upon by the examiner:

U.S. 5,701,700

Kohno et al.

Dec. 30, 1997

U.S. 5,525,131

Asano.

Jun. 11, 1996

Skarpaas, Population Viability Analysis for the Oyster Plant (Mertensia maritime) in the Oslofjord Region (1998)

BRIEF DESCRIPTION OF THE REFERENCES

Kohno et al. discloses a method of storing gel-coated seeds which seeds are encapsulated in an aqueous gel which is water-insolubilized by a metal ion. The encapsulated seed is stored in a storage solution that has an osmotic pressure which is varied by adding various salts thereto which are listed at column 3, lines 1-9. The storage solution is selected so as not to have an adverse influence on the compressive breaking strength of the gel coating.

At column 3, lines 51-54 Kohno et al. teach that the stored, gel-coated seeds exhibited an equal rate of germination and sticking out to gel-coated seeds which were not stored.

Asano discloses seeds that are coated with a clay mineral having a double chain structure which coagulates to a suitable degree of hardness in the presence of a hydrophobic compound. Suitable hydrophobic compounds are listed at column 3, lines 26-39.

Skarpaas is directed to a population viability analysis of a specific, herbaceous perennial plant (*Mertensia maritime* - "Oyster Plant") that is native to the beaches of southern Norway and drops "nutlets" into the ocean so that the nutlets float for a very long period of time (several months) in 3% salt water. The analysis focused on the manner in which the plant self-pollinates by autodeposition.

THE REJECTIONS

Claims 1-6 and 13 stand rejected under 35 U.S.C. 103(a) as being unpatentable over Kohno et al. in view of Skarpaas.

Under this rejection the examiner has relied upon Kohno et al. as teaching a method of encapsulating plant seeds in an aqueous gel capsule, followed by refrigerating the encapsulated seeds and thereafter sowing the seeds.

Skarpaas has been relied upon as teaching that a cold period is necessary to break seed dormancy and that prolonged cold treatment enhances germination.

In combining the teachings of Kohno et al. and Skarpaas, the examiner takes the position that:

...it would have been obvious....to modify the storage duration through routine tests and experimentation to a length that enhances germination as taught by Skarpaas."

7-12 stand rejected under 35 U.S.C. 103(a) as being unpatentable over Kohno et al. "as applied to claim 1" and further in view of Asano.

Under this rejection the examiner has relied upon Asano as teaching that it is old and well known in the art of plant husbandry to pelletize a seed.

In combining the teachings of Kohno et al. and Asano, the examiner has taken the position that:

It would have been obvious to....apply the gel coating of Kohno et al to the pelletized seed of Asano for the mechanized and economical distribution of the seeds in the field.

ARGUMENT

It is noted in the Advisory Action of April 11, 2003 that the examiner stated:

Examiner maintains that the broad nature of applicant's claim limitations does not patentably distinguish it over the teachings of the cited prior art.

For the reasons set forth below, appellants submit that prior art references relied upon by the examiner are not properly combinable under 35 U.S.C. §103.

Accordingly, the examiner's basis for maintaining the final rejections of the claims, i.e. that the broad nature of appellant's claim limitations does not patentably distinguish it over the teachings of the cited prior art, is not germane. The claimed invention is patentably distinguishable over the prior art of record.

The examiner has relied upon Kohno et al. as teaching a method of encapsulating plant seeds in an aqueous gel capsule, followed by refrigerating the encapsulated seeds and thereafter sowing the seeds.

Skarpaas has been relied upon as teaching that a cold period is necessary to break seed dormancy and that prolonged cold treatment enhances germination.

In combining the teachings of Kohno et al. and Skarpaas, the examiner takes the position that:

...it would have been obvious....to modify the storage duration through routine tests and experimentation to a length that enhances germination as taught by Skarpaas."

Kohno et al. is only interested in storing gel-coated seeds in a manner that does not adversely affect the yield and handling properties of gel-coated seeds.

It is important to note that a particular problem addressed and solved by Kohno et al. was that if gel-coated seeds were stored under the same general conditions used for non-coated seeds, the gel coating loses water and becomes hardened. As a result, it becomes difficult for a bud or root sprouted from the seed to pierce through the coating. (Column 1, lines 25-32).

Kohno et al. utilizes an aqueous gel coating composition that is rendered water-insoluble by metal ions. In order to ensure that the storage solution does not adversely affect the gel coating, the storage solution is provided with an osmotic pressure by adding salts listed at column 3, lines 1-9 therein.

In confirming that the storage solutions does not adversely effect the yield of the gel-coated seeds, Kohno et al. conducted comparative tests and concluded that:

The gel-coated seeds thus stored exhibit equal rate of germination and rate of sticking out to those of the gel-coated seeds immediately after preparation. (Column 3, lines 51-54).

The fact the Kohno et al. conducted comparative tests and concluded that the gel-coated seeds that were stored exhibited a rate of germination that was "equal" to that of non-stored seeds establishes that the process of Kohno et al. does not inherently improve germination of the gel-coated seeds.

Moreover, the fact that Kohno et al. conducted comparative tests and concluded that the germination rates of stored and non-stored seeds was "equal" is evidence that appellants' invention is unexpected over the teachings of Kohno et al. and therefore clearly unobvious.

The examiner has conceded that "Kohno et al does not explicitly state that the method prevents defective germination or growth of a plant" and has accordingly relied upon Skarpaas as teaching that a cold period is necessary to break seed dormancy and that prolonged cold treatment enhances germination.

Skarpaas is directed to a study of a specific, herbaceous perennial plant (*Mertensia maritime* "oyster plant") that drops "nutlets" into the ocean so that the nutlets float for a very long period of time (several months) in 3% salt water. According to a standard dictionary definition (See www.webster.com) a "nutlet" is: "1 a: a small nut b: a small fruit similar to a nut" A "nut" is "1 a (1): a hard-shelled dry fruit or seed with a separable rind or shell and interior kernel."

Skarpaas is specifically interested in studying the manner in which the oyster plant reproduces and disperses.

In the working examples, Kohno et al teaches the use of radish seeds.

It is submitted that Kohno et al.'s radish seed is not at all comparable to the nutlet of Skarpaas or to any nut or nutlet since radish seeds do not have hard shells and separable interior kernels.

There is no nexus between the radish seed of Kohno et al. and the nutlet of Skarpaas which supports the examiner's assumption that the effect of allowing nutlets to float for very long periods of time (several months) in the ocean (3% salt water) would be the same if applied to radish seeds.

The only connection that has lead the examiner to consider combining the diverse teachings of Kohno et al. and Skarpaas is appellants' own disclosure. Absent such improper hindsight, one skilled in the art would never consider applying the teachings of Skarpaas to Kohno et al.

Certainly the hard, and relatively thick, shells of nuts and nutlets of plants which are native to the beaches of southern Norway are more resistance to that environment than the radish seeds of Kohno et al., so that it cannot be merely assumed that each would be affected in a similar manner. There is simply no basis within the teachings of these references that supports such an assumption.

While it is true that any determination of obviousness involves aspects of hindsight inasmuch as one must always compare the claimed invention and its solution with the most relevant prior art before the assessment of the "inventive step" in order to objectively determine the problem to be solved by the claimed invention, it is impressible to rely upon hindsight to reconstruct an appellant's claimed invention by combining teachings from prior art references, which prior art references themselves do not provide any motivation or suggestion for the combination.

That is, it is impressible to rely upon an appellant's own disclosure as a blueprint to reconstruct an appellant's claimed invention from isolated teachings found in the prior art.

Obviousness has to be based upon what the prior art references themselves teach or suggest, absent any reliance at all upon an appellant's disclosure.

An examiner cannot rely upon the benefit of hindsight as a substitute for some motivation or suggestion found within the teachings of the prior art that supports the obviousness of their combination.

In light of the above, it is urged that the teachings of Skarpaas are not at all related to the teachings Kohno et al., because radish seeds are not comparable to the nutlet of Skarpaas or any nut or nutlet since radish seeds do not have hard shells and separable interior kernels.

Furthermore, one would not consider or envision having radish seeds float for very long periods of time (several months) in the ocean (3% salt water) off southern Norway upon reading the teachings of Skarpaas, much less expect any beneficial results to be achieved thereby.

Kohno et al. teaches that the storage treatment discussed at beginning at column 3, line 28, et seq. produce seeds that have a germination rate that is "equal" to the germination rate of seeds that are not stored. (See column 3, lines 51-54) This is echoes the statement at column 2, lines 53-56 that there is substantially no change in the properties of the seeds.

In actuality it is submitted that Kohno et al. fails to teach any benefit in germination caused by the storage process, even though Kohno et al. conducted comparative tests to determined effect on germination.

While Skarpaas teaches that a cold period is needed to break dormancy, the teachings of Skarpaas are limited to the oyster plant (Mertensia maritime).

For the reasons set forth above, the teaching of Skarpaas are not germane to Kohno et al.

The examiner's further reliance upon Asano does not address or overcome the deficiencies noted above related to the teachings of Skarpaas and Kohno et al.

Asano has been relied upon by the examiner as teaching that it is well known to pelletize a seed.

The examiner takes the position that it would have been obvious to apply the gel coating of Kohno et al. to the pelletized seed of Asano for "the mechanized and economical distribution of the seeds in the field."

Contrary to the examiner's position of obviousness, appellants note that it is very difficult to carry out a refrigeration treatment for a pelletized seed prior to sowing, because pelletized seeds formed with clay materials per Asano would tend to dissolve during the preservation in the cooling solutions of Kohno et al.

On page 4, of the Final Official Action the examiner states that:

Examiner disagrees with applicant's argument that the pelletized seed would dissolve during preservation, since Asano teaches exposure to ambient conditions and ambient conditions fluctuate between hot and cold and thus exposing the seed to cold temperatures without any adverse effects.

Appellants note it is not the heat and cold of Asano that would dissolve the seed coating material, but soaking coated seeds as taught by Asano in the liquid baths of Kohno et al.

On page 5 of the Final Official Action the examiner cites *In re McLaughlin*, 443 F.2d 1392, 170 USPQ 209 (CCPA 1971) as holding that as long as an examiner's conclusion of obviousness "takes into account only knowledge which was within the level of ordinary skill at the time the claimed invention was made, and does not include knowledge gleaned only from the appellant's disclosure, such a reconstruction if proper."

In re McLaughlin involved a rejection under 35 U.S.C. §103 of a claim directed to railroad box car having an arrangement of filling panels that allowed a car to be loaded and unloaded simultaneously from both sides.

The court of appeals found primary reference to Cook indicated that the car shown therein is suitable for carrying palletized loads with lift trucks being used for the loading and unloading, including the stacking of the pallets. The secondary references show that is was well known to use side filler panels and bulkheads to confine palletized loads to prevent lateral and longitudinal shifting.

It is important to note that in *In re McLaughlin* each of the prior art references directed to railroad car structures which the court of appeals found were properly combinable in the examiner's rejection.

In the present situation, the teachings of Skarpaas and Kohno et al. are not related as was the prior art in *In re McLaughlin*. Skarpaas involves oyster plant "nutlets" that are allowed to float in the ocean off southern Norway for several months. Skarpaas teaches that this process breaks the dormancy of the nutlets.

Kohno et al. is directed to a process for storing gel-coated radish seeds that are placed in a storage solution for a limited number of days. Kohno et al. report that the storage-treated seeds exhibit a germination rate that is <u>equal</u> to non-stored seeds.

These differences negate the ability of the examiner to properly rely upon the holding in *In re McLaughlin*. The knowledge that gel-coated radish seeds could benefit from being stored in a cold liquid solution is not found in Skarpaas or Kohno et al. alone or in combination.

Absent this knowledge being found in the prior art, it can only be concluded that appellants' own disclosure has suggested the combination. This follows the holding in *In re McLaughlin* which supports appellants' position that the prior art as been improperly combined and the outstanding rejection of the claims should accordingly be withdrawn.

The examiner's position that "applicant's extremely broad claim language does not distinguish it over the teachings of the prior art," does not compensate for the fact that the prior art relied upon by the examiner is not properly combinable and does not suggest or otherwise render obvious appellants' claimed invention.

Appellants note that there is a discrepancy between applying prior art based upon a broad interpretation of an appellants' claimed invention and improperly combining prior art references.

Even if an appellants' claims are broad, an examiner is still not permitted to establish obviousness on a combination of prior art teachings that the prior art that lacks a suggestion or motivation in the prior art, i.e. is not truly obvious.

The argument set forth herein by appellants is not whether or not the pending claims are broad. The argument is that the prior art is not properly combinable. The position set forth by appellants is that the teachings of the prior art, absent improper hindsight and reliance upon appellants' own disclosure, do not provide the request motivation or suggestion needed to establish obviousness.

Skarpaas' teachings of oyster plant seeds ("nutlets") floating in the ocean off southern Norway for months and breaking the dormancy of the seeds is not germane to Kohno et al. who teach that cold storing radish seeds does not effect or change the germination of the seeds over non-stored seeds.

The rejections of the claims are believed to be improper under 35 U.S.C. §103.

Appellants' invention is not inherently taught by Kohno et al., because Kohno et al.'s comparative tests of germination rate concluded that the germination rates of stored and non-stored seeds were "equal."

Appellants' invention is not obvious over the combination of Kohno et al. and Skarpaas, because the teachings of these references are not properly combinable for the reasons set forth above.

Accordingly, the rejections of the claims are believed to be improper and should be reversed.

CONCLUSION

For the reasons advanced above, appellants respectfully contend that the rejection of claims 1-6 and 13 as being obvious under 35 U.S.C. §103(a) over Kohno et al. in view of Skarpaas is improper because the examiner has not met the burden of establishing a *prima facie* case of obviousness.

Moreover, for the reasons advanced above, appellants respectfully contend that the rejection of claims 7-12 as being obvious under 35 U.S.C. §103(a) over Kohno et al. "as applied to claims 1, in view of Asano is improper because the examiner has not met the burden of establishing a *prima* facie case of obviousness.

Reversal of each of the rejections on appeal is respectfully requested.

To the extent necessary, a petition for an extension of time under 37 CFR §1.136 is hereby made. Please charge the fees due in connection with the filing of this paper, including extension of

time fees, to Deposit Account No. 12-2136 and please credit any excess fees to such deposit account.

Respectfully submitted,

lichael S. Gzybowski

Reg. No. 32,818

BUTZEL LONG 350 South Main Street Suite 300

Ann Arbor, Michigan 48104

(734) 995-3110

CLAIMS ON APPEAL

- A method of preventing defective germination or growth of a plant comprising the steps
 of:
 encapsulating one plant seed of a plurality of plant seeds in an aqueous gel capsule;
 refrigerating the plant seeds under the condition that the plant seeds do not germinate; and sowing the plant seeds.
- 2. The method of preventing defective germination or growth of a plant according to claim 1, wherein the size of the plant seed is equal to or less than 1 mm.
- 3. The method of preventing defective germination or growth of a plant according to claim 1, wherein the refrigeration is carried out in a dark place.
- 4. The method of preventing defective germination or growth of a plant according to claim 2, wherein the refrigeration is carried out in a dark place.
- 5. (Amended) The method of preventing defective germination or growth of a plant according to claim 3, wherein the plant seed is a seed of a light germinator.

- 6. The method of preventing defective germination or growth of a plant according to claim 4, wherein the plant seed is a seed of a light germinator.
- 7. (Amended) The method of preventing defective germination or growth of a plant as claimed in claim 1, wherein the plant seed encapsulated in an aqueous gel capsule is a pelletized seed.
- 8. The method of preventing defective germination or growth of a plant as claimed in claim 2, wherein the plant seed encapsulated in an aqueous gel capsule is a pelletized seed.
- The method of preventing defective germination or growth of a plant as claimed in claim
 wherein the plant seed encapsulated in an aqueous gel capsule is a pelletized seed.
- 10. The method of preventing defective germination or growth of a plant as claimed in claim4, wherein the plant seed encapsulated in an aqueous gel capsule is a pelletized seed.
- 11. The method of preventing defective germination or growth of a plant as claimed in claim 5, wherein the plant seed encapsulated in an aqueous gel capsule is a pelletized seed.
- 12. The method of preventing defective germination or growth of a plant as claimed in claim 6, wherein the plant seed encapsulated in an aqueous gel capsule is a pelletized seed.

13. The method of preventing defective germination or growth of a plant according to claim 1, wherein the step of refrigerating the encapsulated plant seeds is conducted at a temperature of about 15°C or lower and for a sufficient period of time to improve the germination of the encapsulated plant seeds as compared to non-refrigerated encapsulated plant seeds.